

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4727	((auto\$1mat\$7) near5 (re \$1format\$5 format\$5 translat\$5 conver\$5 re \$1conver\$5 re\$1translat \$5 adapt\$6 alter\$6 modif \$5 transform\$5 config\$5 re \$1config\$5 structur\$4 re \$1structur\$4)) with ((data file packet) near5 (type format))	US-PGPUB; USPAT	OR	ON	2009/07/30 18:23
L2	290	L1 same ( (generic standard intermed\$5) near5 (format type) )	US-PGPUB; USPAT	OR	ON	2009/07/30 18:23
L3	33	L2 and ( (multiple different plurality many (more adj2 than adj2 one)) near5 (format type) ) with ( ("same" ) near5 (data file packet))	US-PGPUB; USPAT	OR	ON	2009/07/30 18:23
L4	24	L3 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/07/30 18:23
L5	118955	709/232.ccls. "370".clas. 710/61.ccls.	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L6	60	L5 and ((re\$1translat\$4 translat\$4 re\$1cod\$3) with (data) with (format)). ab.	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L7	44	L6 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L8	1581	MARTINEZ-JUAN.in. philipp-ralf.in. sommerlade-frank.in. sap. as.	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L9	5	L8 and ( ( (client consumer) near5 (transmit \$5 send\$4 transfer\$6) near5 (type format cod \$4) ) adj25 (server) )	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L10	28	L2 same ( (multiple different plurality many (more adj2 than adj2 one)) near5 (format type) ) with ( (data file packet))	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29

L11	16	L10 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L12	24	L3 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L13	23	L12 not L11	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L14	24383	chang\$4 near4 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 18:29
L15	51495	(another different) adj2 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 18:29
L16	61405	L14 or L15	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L17	4092	L16 near5 (client user)	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L18	331	L17 near10 server	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L19	183	L18 same ( (re\$1format\$5 format\$5 translat\$5 conver \$5 re\$1conver\$5 re \$1translat\$5 adapt\$6 alter \$6 modif\$5 transform\$5 config\$5 re\$1config\$5 structur\$4 re\$1structur \$4)) with ((data file packet) near5 (type format))	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L20	103	L19 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/07/30 18:29
L21	2	"6826597".pn. "6615212". pn.	US-PGPUB; USPAT	OR	ON	2009/07/30 18:32
L22	3	"6826597".pn. "6615212". pn. "5884325".pn.	US-PGPUB; USPAT	OR	ON	2009/07/30 18:43
L23	4	"6826597".pn. "6615212". pn. "5884325".pn. "20030233383".pn.	US-PGPUB; USPAT	OR	ON	2009/07/30 18:44

S1	4443	((auto\$1mat\$7) near5 (re \$1format\$5 format\$5 translat\$5 conver\$5 re \$1conver\$5 re\$1translat \$5 adapt\$6 alter\$6 modif \$5 transform\$5 config\$5 re \$1config\$5 structur\$4 re \$1structur\$4)) with ((data file packet) near5 (type format))	US-PGPUB; USPAT	OR	ON	2009/01/26 16:00
S2	1	S1 same ( ( (client consumer) near5 (transmit \$5 send\$4 transfer\$6) near5 (type format) ) adj25 (server) )	US-PGPUB; USPAT	OR	ON	2009/01/26 16:22
S3	11	S1 and ( ( (client consumer) near5 (transmit \$5 send\$4 transfer\$6) near5 (type format) ) adj25 (server) )	US-PGPUB; USPAT	OR	ON	2009/01/26 16:22
S4	16	S1 and ( ( (client consumer) near5 (transmit \$5 send\$4 transfer\$6) near5 (type format cod \$4) ) adj25 (server) )	US-PGPUB; USPAT	OR	ON	2009/01/26 16:23
S5	5	S3 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/26 16:23
S6	9	S4 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/26 16:23
S7	272	S1 same ( (generic standard intermed\$5) near5 (format type) )	US-PGPUB; USPAT	OR	ON	2009/01/26 16:31
S8	173	S7 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/26 16:31
S9	63	S7 same (client customer consumer)	US-PGPUB; USPAT	OR	ON	2009/01/26 16:53
S10	33	S9 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/26 16:53
S11	1	S1 and ( ( (transmit\$5 send\$4 transfer\$6) near5 ((generic standard intermed\$5)) with (client consumer) ) adj25 (server) )	US-PGPUB; USPAT	OR	ON	2009/01/26 17:41
S12	168	S7 and ( (multiple different plurality many (more adj2 than adj2 one)) near5 (format type) ) with ( (data file packet))	US-PGPUB; USPAT	OR	ON	2009/01/26 17:44

S13	25	S7 same ( (multiple different plurality many (more adj2 than adj2 one)) near5 (format type) ) with ( (data file packet))	US-PGPUB; USPAT	OR	ON	2009/01/26 17:44
S14	32	S7 and ( (multiple different plurality many (more adj2 than adj2 one)) near5 (format type) ) with ( ("same" ) near5 (data file packet))	US-PGPUB; USPAT	OR	ON	2009/01/26 17:45
S15	5	S3 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/26 17:45
S16	15	S13 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/26 17:45
S17	24	S14 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/26 17:45
S18	23	S17 not S16	US-PGPUB; USPAT	OR	ON	2009/01/26 17:50
S19	1	S1 and ( ( (transmit\$5 send\$4 transfer\$6) near5 ((generic standard intermed\$5)) near7 (file data format type) with (client consumer) ) adj25 (server) )	US-PGPUB; USPAT	OR	ON	2009/01/26 18:20
S20	137	( ( (transmit\$5 send\$4 transfer\$6) near5 ((generic standard intermed\$5)) near7 (file data format type) with (client consumer) ) adj25 (server) )	US-PGPUB; USPAT	OR	ON	2009/01/26 18:20
S21	90	S20 and ( (re\$1format\$5 format\$5 translat\$5 conver\$5 re\$1conver\$5 re\$1translat\$5 adapt\$6 alter\$6 modif\$5 transform\$5 config\$5 re\$1config\$5 structur\$4 re\$1structur\$4)) with ((data file packet) near5 (type format))	US-PGPUB; USPAT	OR	ON	2009/01/26 18:21
S22	60	S21 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/26 18:21
S23	0	S1 and ( ( (transmit\$5 send\$4 transfer\$6) near5 ((generic standard intermed\$5)) near7 (file data format type) with (server) ) adj25 (client) )	US-PGPUB; USPAT	OR	ON	2009/01/26 18:23

S24	160	(( (transmit\$5 send\$4 transfer\$6) near5 ((generic standard intermed\$5)) near7 (file data format type) with (server) ) adj25 (client) )	US-PGPUB; USPAT	OR	ON	2009/01/26 18:23
S25	115	S24 and ( (re\$1format\$5 format\$5 translat\$5 conver\$5 re\$1conver\$5 re\$1translat\$5 adapt\$6 alter\$6 modif\$5 transform\$5 config\$5 re\$1config\$5 structur\$4 re\$1structur\$4)) with ((data file packet) near5 (type format))	US-PGPUB; USPAT	OR	ON	2009/01/26 18:24
S26	329	(( (transmit\$5 send\$4 transfer\$6) near5 ((generic standard intermed\$5)) near7 (file data format type) ) with ((server) near10 (client) ) )	US-PGPUB; USPAT	OR	ON	2009/01/26 18:24
S27	2	S1 and ( ( (transmit\$5 send\$4 transfer\$6) near5 ((generic standard intermed\$5)) near7 (file data format type) ) with ((server) near10 (client) ) )	US-PGPUB; USPAT	OR	ON	2009/01/26 18:25
S28	218	S26 and ( (re\$1format\$5 format\$5 translat\$5 conver\$5 re\$1conver\$5 re\$1translat\$5 adapt\$6 alter\$6 modif\$5 transform\$5 config\$5 re\$1config\$5 structur\$4 re\$1structur\$4)) with ((data file packet) near5 (type format))	US-PGPUB; USPAT	OR	ON	2009/01/26 18:25
S29	306889	(( (re\$1format\$5 format\$5 translat\$5 conver\$5 re\$1conver\$5 re\$1translat\$5 adapt\$6 alter\$6 modif\$5 transform\$5 config\$5 re\$1config\$5 structur\$4 re\$1structur\$4)) with ((data file packet) near5 (type format))	US-PGPUB; USPAT	OR	ON	2009/01/26 18:25
S30	41	S26 same S29	US-PGPUB; USPAT	OR	ON	2009/01/26 18:27
S31	25	S30 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/26 18:27

S32	2	"5996022".pn. "20020026475".pn.	US-PGPUB; USPAT	OR	ON	2009/01/27 15:42
S33	7684	Chang\$4 near format	US-PGPUB; USPAT	OR	ON	2009/01/29 13:36
S34	8312	Chang\$4 near format	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/01/29 13:36
S35	9235	Chang\$4 near format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 13:36
S36	23160	chang\$4 near4 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 13:37
S39	42879	(another different) adj2 format	US-PGPUB; USPAT	OR	ON	2009/01/29 13:37
S40	57545	S36 or S39	US-PGPUB; USPAT	OR	ON	2009/01/29 13:38
S41	542	S40 near5 client	US-PGPUB; USPAT	OR	ON	2009/01/29 13:38
S42	3832	S40 near5 (client user)	US-PGPUB; USPAT	OR	ON	2009/01/29 13:38
S43	311	S42 near10 server	US-PGPUB; USPAT	OR	ON	2009/01/29 13:38
S44	29	S43 same (automatic\$4 adapt\$4)	US-PGPUB; USPAT	OR	ON	2009/01/29 13:41
S45	48309	(another different) adj2 format	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 13:42
S46	57545	S36 or S45	US-PGPUB; USPAT	OR	ON	2009/01/29 13:42
S47	542	S46 near5 client	US-PGPUB; USPAT	OR	ON	2009/01/29 13:42
S48	3832	S46 near5 (client user)	US-PGPUB; USPAT	OR	ON	2009/01/29 13:42
S49	311	S48 near10 server	US-PGPUB; USPAT	OR	ON	2009/01/29 13:42
S50	199	S49 and @ad< "20040312"	US-PGPUB; USPAT	OR	ON	2009/01/29 13:52

S51	199	S50 and ( (re\$1format\$5 format\$5 translat\$5 conver \$5 re\$1conver\$5 re \$1translat\$5 adapt\$6 alter \$6 modif\$5 transform\$5 config\$5 re\$1config\$5 structur\$4 re\$1structur \$4))	US-PGPUB; USPAT	OR	ON	2009/01/29 13:53
S52	176	S50 and ( (re\$1format\$5 format\$5 translat\$5 conver \$5 re\$1conver\$5 re \$1translat\$5 adapt\$6 alter \$6 modif\$5 transform\$5 config\$5 re\$1config\$5 structur\$4 re\$1structur \$4)) with ((data file packet) near5 (type format))	US-PGPUB; USPAT	OR	ON	2009/01/29 13:54
S53	171	S49 same ( (re\$1format\$5 format\$5 translat\$5 conver \$5 re\$1conver\$5 re \$1translat\$5 adapt\$6 alter \$6 modif\$5 transform\$5 config\$5 re\$1config\$5 structur\$4 re\$1structur \$4)) with ((data file packet) near5 (type format))	US-PGPUB; USPAT	OR	ON	2009/01/29 14:17
S54	101	S53 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/29 14:18
S55	2	S43 same (manual\$4)	US-PGPUB; USPAT	OR	ON	2009/01/29 16:45
S56	1	"20050204055".pn.	US-PGPUB; USPAT	OR	ON	2009/01/29 18:01
S57	111262	709/232.ccls. "370".clas. 710/61.ccls.	US-PGPUB; USPAT	OR	ON	2009/01/31 01:16
S58	59	S57 and ((re\$1translat\$4 translat\$4 re\$1cod\$3) with (data) with (format)). ab.	US-PGPUB; USPAT	OR	ON	2009/01/31 01:16
S59	44	S58 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/01/31 01:16
S60	1296	MARTINEZ-JUAN.in. philipp-ralf.in. sommerlade-frank.in. sap. as.	US-PGPUB; USPAT	OR	ON	2009/01/31 01:16
S61	1	"I5" and ( (client consumer) near5 (transmit \$5 send\$4 transfer\$6) near5 (type format cod \$4) ) adj25 (server) )	US-PGPUB; USPAT	OR	ON	2009/01/31 01:16

S62	5	S60 and ( (client consumer) near5 (transmit \$5 send\$4 transfer\$6) near5 (type format cod \$4) ) adj25 (server) )	US-PGPUB; USPAT	OR	ON	2009/01/31 01:16
S63	175	(data near5 object near5 message) near10 (xml xsl)	US-PGPUB; USPAT	OR	ON	2009/07/21 16:00
S64	70	S63 and @ad<"20040312"	US-PGPUB; USPAT	OR	ON	2009/07/21 16:01
S65	2	"6826597".pn. "6615212".pn.	US-PGPUB; USPAT	OR	ON	2009/07/21 16:03

**7/ 30/ 2009 7:29:17 PM****C:\ Documents and Settings\ hshiu\ My Documents\ EAST\ Workspaces\ 10800312\_b.wsp**